


FORM PTO 1390 (REV 5-93)		US DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY DOCKET NUMBER 2001_1309A
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. §371			U.S. APPLICATION NO. 09/956994 (if known, see 37 CFR 1.55) NEW
International Application No. PCT/JP00/02050	International Filing Date March 30, 2000	Priority Date Claimed March 30, 1999	
<b>Title of Invention</b> FORMED CHOCOLATE AND PROCESS FOR PRODUCING THE SAME			
<b>Applicant(s) For DO/EO/US</b> Masayuki MATSUI, Masako OKOCHI and Haruyasu KIDA			
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:			
<ol style="list-style-type: none"><li>1. <input checked="" type="checkbox"/> This is a <b>FIRST</b> submission of items concerning a filing under 35 U.S.C. §371.</li><li>2. <input type="checkbox"/> This is a <b>SECOND</b> or <b>SUBSEQUENT</b> submission of items concerning a filing under 35 U.S.C. §371.</li><li>3. <input type="checkbox"/> This express request to begin national examination procedures (35 U.S.C. §371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. §371(b) and PCT Articles 22 and 39(1).</li><li>4. <input checked="" type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.</li><li>5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. §371(c)(2))<ol style="list-style-type: none"><li>a. <input type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau).</li><li>b. <input checked="" type="checkbox"/> has been transmitted by the International Bureau.</li><li>c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US)</li></ol></li><li>6. <input checked="" type="checkbox"/> A translation of the International Application into English (35 U.S.C. §371(c)(2)). <b>ATTACHMENT A</b></li><li>7. <input type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. §371(c)(3)).<ol style="list-style-type: none"><li>a. <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau).</li><li>b. <input type="checkbox"/> have been transmitted by the International Bureau.</li><li>c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired.</li><li>d. <input type="checkbox"/> have not been made and will not be made.</li></ol></li><li>8. <input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19.</li><li>9. <input checked="" type="checkbox"/> An executed oath or declaration of the inventor(s) (35 U.S.C. §371(c)(4)). <b>ATTACHMENT B</b></li><li>10. <input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. §371(c)(5)).</li></ol>			
<b>Items 11. to 14. below concern other document(s) or information included:</b>			
<ol style="list-style-type: none"><li>11. <input checked="" type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98. <b>ATTACHMENT C</b></li><li>12. <input checked="" type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. <b>ATTACHMENT D</b></li><li>13. <input checked="" type="checkbox"/> A <b>FIRST</b> preliminary amendment. <b>ATTACHMENT E</b> <input type="checkbox"/> A <b>SECOND</b> or <b>SUBSEQUENT</b> preliminary amendment.</li><li>14. <input checked="" type="checkbox"/> Other items or information: WO00/57715</li></ol>			

THE COMMISSIONER IS AUTHORIZED  
TO CHARGE ANY DEFICIENCY IN THE  
FEE FOR THIS PAPER TO DEPOSIT  
ACCOUNT NO. 23-0975.

U.S. APPLICATION NO. <b>09/936994</b> NEW		INTERNATIONAL APPLICATION NO. PCT/JP00/02050		ATTORNEY'S DOCKET NO. 2001 1309A	
15. <input checked="" type="checkbox"/> The following fees are submitted  <b>BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(5)):</b> Neither international preliminary examination fee nor international search fee paid to USPTO and International Search Report not prepared by the EPO or JPO ..... \$1000.00 International Search Report has been prepared by the EPO or JPO ..... \$ 860.00 International preliminary examination fee not paid at USPTO but international search paid to USPTO ..... \$ 710.00 International preliminary examination fee paid to USPTO but claims did not satisfy provisions of PCT Article 33(1)-(4) ..... \$ 690.00 International preliminary examination fee paid at USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) ..... \$ 100.00  <b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b>				CALCULATIONS      \$860.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$	
Claims	Number Filed	Number Extra	Rate		
Total Claims	-20 =		X \$18.00	\$	
Independent Claims	4 - 3 =	1	X \$80.00	\$80.00	
Multiple dependent claim(s) (if applicable)			+ \$270.00	\$	
<b>TOTAL OF ABOVE CALCULATIONS =</b>				\$940.00	
<input type="checkbox"/> Small Entity Status is hereby asserted. Above fees are reduced by 1/2.				\$	
<b>SUBTOTAL =</b>				\$940.00	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$	
<b>TOTAL NATIONAL FEE =</b>				\$940.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40 per property +				\$40.00	
<b>TOTAL FEES ENCLOSED =</b>				\$980.00	
				Amount to be refunded	\$
				Amount to be charged	\$
a. <input checked="" type="checkbox"/> A check in the amount of <u>\$980.00</u> to cover the above fees is enclosed. A duplicate copy of this form is enclosed. b. <input type="checkbox"/> Please charge my Deposit Account No. 23-0975 in the amount of \$_____ to cover the above fees. A duplicate copy of this sheet is enclosed. c. <input type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>23-0975</u> .  <b>NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or          (b)) must be filed and granted to restore the application to pending status.</b>					
19. CORRESPONDENCE ADDRESS   <div style="text-align: center;">   <b>000513</b>          PATENT TRADEMARK OFFICE       </div>			By: <u>Warren M. Cheek, Jr.</u> Warren M. Cheek, Jr., Registration No. 33,367  WENDEROTH, LIND & PONACK, L.L.P. 2033 "K" Street, N.W., Suite 800 Washington, D.C. 20006-1021 Phone: (202) 721-8200 Fax: (202) 721-8250  September 19, 2001		

[CHECK NO. 46514]

[2001\_1309A]

09/936994

J003 Rec'd PCT/JP00/02050 19 SEP 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of :  
Masayuki MATSUI et al. : Attn: BOX PCT  
Serial No. NEW : Docket No. 2001\_1309A  
Filed September 19, 2001 :

FORMED CHOCOLATE AND PROCESS FOR  
PRODUCING THE SAME  
[Corresponding to PCT/JP00/02050  
Filed March 30, 2000]

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents,  
Washington, DC 20231

Sir:

Prior to calculating the filing fee, please amend the above-identified application as follows:

IN THE SPECIFICATION

Page 1, immediately after the title, please insert:

This application is a 371 of PCT/JP00/02050 filed March 30, 2000.

IN THE CLAIMS

Please amend the claims as follows:

3. (Amended) A foamed chocolate according to claim 1, wherein the tri-saturated fatty acid glycerides containing behenic acid are a fully hydrogenated oil of rapeseed oil with a high erucic acid content.

ATTACHMENT E

4. **(Amended)** The foamed chocolate according to claim 1, wherein a mixing ratio of the edible fats and oils to the tri-saturated fatty acid glycerides containing behenic acid in the oil mixture used is 85 : 15 to 95 : 5.

5. **(Amended)** The foamed chocolate according to claim 1, wherein the content of the tri-saturated fatty acid glycerides containing behenic acid is 0.5 to 2% by weight based on the total amount of the foamed chocolate.

6. **(Amended)** The foamed chocolate according to claim 1, wherein the specific gravity is 0.5 to 0.9.

9. **(Amended)** The process according to claim 7, wherein a fully hydrogenated oil of rapeseed oil with a high erucinic acid content is used as the tri-saturated fatty acid glycerides containing behenic acid.

10. **(Amended)** The process according to claim 7, wherein the oil mixture is added and used so that the content of the tri-saturated fatty acid glycerides containing behenic acid becomes 0.5 to 2% by weight based on the total amount of the foamed chocolate.

11. **(Amended)** The process according to claim 7, wherein the resultant blend is whipped until the specific gravity of chocolate becomes 0.5 to 0.9.

12. **(Amended)** The process according to claim 7, wherein the resultant blend is whipped after the product temperature of the resultant blend is adjusted to 25°C to 40°C.

**REMARKS**

The foregoing amendments amend the specification to reflect the 371 status. In addition, the claims have been amended to reduce the PTO filing fee and to eliminate the improper multiple dependent claims.

Attached hereto is a marked-up version of the changes made to the specification and claims by the current amendment. The attached pages are captioned "**Version with markings to show changes made**".

Favorable action on the merits is solicited.

Respectfully submitted,

Masayuki MATSUI et al.

By Warren M. Cheek, Jr.  
Warren M. Cheek, Jr.  
Registration No. 33,367  
Attorney for Applicants

WMC/dlk  
Washington, D.C. 20006-1021  
Telephone (202) 721-8200  
Facsimile (202) 721-8250  
September 19, 2001

DESCRIPTION

FORMED CHOCOLATE AND PROCESS FOR PRODUCING THE SAME

*This application is a 371 of PCT/JP00/02050 filed March 30, 2000.*

BACKGROUND OF THE INVENTION

5 Field of the Invention

The present invention relates to a foamed chocolate and its production process. More practically, it relates to a foamed chocolate which can be foamed by a simple apparatus such as a vertical type mixer without requiring a specified emulsifier and a process for producing the foamed chocolate.

Background Art

Recently, it tends to be increased to produce a variety of products with light textures (mouthfeel) by combining chocolates with baked confectionery, for example, biscuits. For the purpose of lightening textures of chocolate products themselves without combining with other confectionery, so-called whipped chocolate, a chocolate in which foams are incorporated into a chocolate product, is also produced. As a method for incorporating foams into a chocolate product, for example, the following methods have been reported: a method comprising steps of decreasing specific gravity by stirring a chocolate and then putting the chocolate under decreased pressure (JP 62-275648 A, JP 20 63-202341 A); a method comprising steps of decreasing

What is claimed is:

1. A foamed chocolate comprising formulating an oil mixture comprising edible fats and oils with tri-saturated fatty acid glycerides containing behenic acid.

2. The foamed chocolate according to claim 1, wherein the behenic acid content in the tri-saturated fatty acid glycerides containing the behenic acid is 30 % or higher.

3. <sup>Amended</sup> The foamed chocolate according to claim 1 ~~or 2~~, wherein the tri-saturated fatty acid glycerides containing behenic acid are a fully hydrogenated oil of rapeseed oil with a high erucinic acid content.

4. <sup>(Amended)</sup> The foamed chocolate according to ~~any one of~~ claims ~~1 to 3~~, wherein a mixing ratio of the edible fats and oils to the tri-saturated fatty acid glycerides containing behenic acid in the oil mixture used is 85 : 15 to 95 : 5.

5. <sup>Amended</sup> The foamed chocolate according to any one of claims ~~1 to 4~~, wherein the content of the tri-saturated fatty acid glycerides containing behenic acid is 0.5 to 2 % by weight based on the total amount of the foamed chocolate.

6. <sup>Amended</sup> The foamed chocolate according to ~~any one of~~ claims ~~1 to 5~~, wherein the specific gravity is 0.5 to 0.9.

7. A process for producing a foamed chocolate which comprises steps of melting crystals of an oil mixture of

0923694-091901  
T06T60-4669660

edible fats and oils with tri-saturated fatty acid  
glycerides containing behenic acid by warming, then  
crystallizing the tri-saturated fatty acid glycerides  
containing behenic acid by cooling the oil mixture, adding  
5 the oil mixture in such a state to a blend of chocolate  
ingredients and whipping the resultant blend.

8. The process according to claim 7, wherein fats and  
oils containing 30 % or more of behenic acid in their  
saturated fatty acids are used as the tri-saturated fatty  
10 acid glycerides containing behenic acid.

✓ 9. <sup>Amended</sup> The process according to claim 7 ~~or 8~~, wherein a  
fully hydrogenated oil of rapeseed oil with a high erucinic  
acid content is used as the tri-saturated fatty acid  
glycerides containing behenic acid.

✓ 10. <sup>Amended</sup> The process according to ~~any one of claims~~ 7 to 9,  
15 wherein the oil mixture is added and used so that the  
content of the tri-saturated fatty acid glycerides  
containing behenic acid becomes 0.5 to 2 % by weight based  
on the total amount of the foamed chocolate.

✓ 11. <sup>Amended</sup> The process according to ~~any one of claims~~ 7 to  
20 ~~10~~, wherein the resultant blend is whipped until the  
specific gravity of chocolate becomes 0.5 to 0.9.

✓ 12. <sup>Amended</sup> The process according to ~~any one of claims~~ 7 to  
25 ~~11~~, wherein the resultant blend is whipped after the  
product temperature of the resultant blend is adjusted to

✓ 106760-4669E660



25°C to 40°C.

13. A fat and oil composition comprising crystals of tri-saturated fatty acid glycerides containing behenic acid dispersed in low melting point-fats and oils having a melting point lower than that of the glycerides.

14. The fat and oil composition according to claim 13, wherein the low melting point-fats and oils are liquid at 20°C.

15. The fat and oil composition according to claim 13, wherein the low melting point-fats and oils are hard butter.

16. An additive for a foamed chocolate comprising crystals of tri-saturated fatty acid glycerides containing behenic acid dispersed in low melting point-fats and oils having a melting point lower than that of the glycerides.

17. The additive for a formed chocolate according to claim 16, wherein the low melting point-fats and oils are liquid at 20°C.

18. The additive for a formed chocolate according to claim 16, wherein the low melting point-fats and oils are hard butter.

TOP SECRET

DESCRIPTION

FORMED CHOCOLATE AND PROCESS FOR PRODUCING THE SAME

BACKGROUND OF THE INVENTION

5 Field of the Invention

The present invention relates to a foamed chocolate and its production process. More practically, it relates to a foamed chocolate which can be foamed by a simple apparatus such as a vertical type mixer without requiring a specified emulsifier and a process for producing the foamed chocolate.

Background Art

10 Recently, it tends to be increased to produce a variety of products with light textures (mouthfeel) by combining chocolates with baked confectionery, for example, biscuits. For the purpose of lightening textures of chocolate products themselves without combining with other confectionery, so-called whipped chocolate, a chocolate in which foams are incorporated into a chocolate product, is also produced. As a method for incorporating foams into a chocolate product, for example, the following methods have been reported: a method comprising steps of decreasing specific gravity by stirring a chocolate and then putting the chocolate under decreased pressure (JP 62-275648 A, JP 20 63-202341 A); a method comprising steps of decreasing

25

specific gravity by incorporating a compressed gas into a blend of chocolate ingredients and restoring the pressure to be normal (JP 62-58955 A, JP 63-49040 A); a method comprising a step of foaming with emulsifiers (JP 1-144934 A, JP 5-211842 A); a method comprising steps of decreasing specific gravity of a blend of chocolate ingredients by mixing foamed shortening and a blend of chocolate ingredients (JP 63-28355 A); a method comprising steps of formulating fats and oils containing a certain amount or more of triglycerides whose constituent fatty acid residues have 58 or more of total carbon atoms in a blend of chocolate ingredients, stabilizing foams incorporated by crystallization of the fats and oils, and thus decreasing the specific gravity of the blend of chocolate ingredients (JP 3-201946 A); and the like.

Further, since a chocolate contains vegetable fats and oils such as cocoa butter quickly melting around the body temperature, there occurs a problem that such a chocolate is easy to be melted in summer time. In order to prevent melting owing to the outside air temperature, high melting point fats, which are not melted at the outside air temperature, are generally added to provide the chocolate with high heat resistance. However, addition of such high melting point fats causes a problem that good mouth melt property, which is an intrinsic property of a chocolate, is

deteriorated.

As described above, among the methods for incorporating foams into a blend of chocolate ingredients for the purpose of lightening a chocolate texture (mouthfeel), although those comprising steps of decreasing or increasing pressure for foaming can significantly decrease specific gravity of a chocolate, they require a large scale apparatus and they are thus unsuitable for easy and simple production of a foamed chocolate.

On the other hand, although the foaming methods using specified emulsifiers are easy, the methods require relatively large amounts of emulsifiers to be added to a blend of chocolate ingredients in order to stabilize foams incorporated and, in case of considerably decreasing specific gravity of a blend of chocolate ingredients, oil components in a blend of chocolate ingredients have to be increased (preferably 50 % or higher). Further, such methods give intense taste of emulsifiers, especially synthesized emulsifiers, that is generally undesirable.

In case of using a fatty acid ester of polyglycerin with HLB of 7 to 8 as an emulsifier, it is required to whip a chocolate in a temperature range high enough to prevent crystallization of fats and oils of the chocolate itself (generally 35°C or higher). Further, the emulsifier is easily affected with the milk fat solids of a chocolate

itself, which results in, for example, difficulty in whipping of a white chocolate, while a black chocolate can be whipped. Moreover, it is difficult to completely dissolve the fats and oils because of the emulsifier of such a system which has HLB around the middle.

On the other hand, in case of using a fatty acid ester with a polyglycerin with a low HLB, fats and oils of a chocolate itself should be crystallized and, since the crystals are formed, temperature control becomes difficult after whipping. Although such a type of an emulsifier is hardly affected with the milk fat solids of the chocolate, it is affected with fats and oils to be used for a chocolate and an operation becomes complicated.

In case for producing a foamed chocolate by mixing foamed shortening, it is required to increase an amount of the shortening to be added in order to decrease specific gravity, resulting in such disadvantages that the amount of oils in the chocolate is increased as well as that the chocolate tends to have oily mouthfeel when being mixed with the foams of the shortening since foaming is performed only with the previously foamed shortening in which foams are covered only with fats and oils.

Further, in the other method disclosed in JP 3-201946 A, i.e., a method comprising steps of formulating fats and oils containing a certain amount or more of triglycerides

whose constituent fatty acid residues have 58 or more of total carbon atoms in a blend of chocolate ingredients, a preferred fat and oil composition is that containing a specific amount of mixed acid triglycerides which contains at least one residue of saturated fatty acid residues having 20 to 24 carbon atoms and at least one unsaturated acid fatty acid residue having 16 to 22 carbon atoms in a molecule, whose constituent fatty acids are saturated fatty acids having 20 to 24 carbon atoms and unsaturated fatty acids having 16 to 22 carbon atoms present in a specified ratio. However, such fats and oils do not exist so much in nature and therefore it is required to carry out interesterification of fat and oil raw materials so that such a fat and oil composition can be realized and further to carry out fractionation to obtain fractionated middle melting point portions and subsequently, production of such a fat and oil composition itself becomes extremely complicated. Further, being in a melted state, if a fully hydrogenated oils of tri-saturated triglycerides are added to a blend of chocolate ingredients in place of those fats and oils, the melting point of the fats and oils in the blend of chocolate ingredients is increased to make whipping impossible.

On the other hand, as a method for providing a chocolate with high heat resistance, it is general to add

high melting point fats, however it results in a disadvantage that mouth melt property, which is one of intrinsic properties of a chocolate, is deteriorated. That is because high melting point fats remain in the mouth for a long period of time without being melted owing to the increase of the melting point of the fat and oil themselves by addition of the high melting point fats and more particularly owing to the increase of the content of fats in solid around a body temperature or at a temperature slightly higher than the body temperature attributed to the effect of the high melting point fats.

#### SUMMARY OF THE INVENTION

The present inventors have studied intensively and, as a result, they have found that a foamed chocolate can be obtained without resort to any special apparatuses or emulsifiers. Thus, the present invention has been completed.

That is, the present invention provides a foamed chocolate comprising formulating an oil mixture comprising edible fats and oils with tri-saturated fatty acid glycerides containing behenic acid; a process for producing such a foamed chocolate comprising melting the crystals of an oil mixture comprising edible fats and oils with tri-saturated fatty acid glycerides containing behenic acid by

heating, cooling the oil mixture to precipitate the crystals of the tri-saturated fatty acid glycerides containing behenic acid, adding the oil mixture in such a state to a chocolate, and whipping the resulting chocolate; and an oil and fat composition comprising crystals of tri-saturated fatty acid glycerides containing behenic acid dispersed in low melting point-fats and oils having a melting point lower than that of the glycerides.

#### Most Preferred Embodiments of the Invention

The edible fats and oils used in the present invention include, for example, vegetable fats and oils such as rapeseed oil, soybean oil, sunflower seed oil, cottonseed oil, peanut oil, rice bran oil, corn oil, safflower oil, olive oil, kapok oil, sesame oil, evening primrose oil, palm oil, shea butter, sal butter, cacao butter, coconut oil, palm kernel oil, and the like; and processed fats and oils produced by hydrogenation of these fats and oils, fractionation of them, interesterification of them and the like. The vegetable fats and oils are excellent in taste as compared with animal fats and oils such as fish oils. It is preferable to use fats and oils in liquid state at 20°C. When an oil mixture comprising fats and oils in liquid state at 20°C and tri-saturated fatty acid glycerides containing behenic acid is added to a blend of chocolate ingredients (a mixture of chocolate liquor and



other ingredients) and whipped, since the tri-saturated fatty acid glycerides containing behenic acid keeps fluidity even in crystallized state in a wide temperature range, the workability is improved. Alternatively, it is preferable to use hard butter, for example, cacao butter, tempered type fats and oils such as substitutes of cacao butter and the like, trans-type hard butter containing elaidic acid as a constituent fatty acid, as well as coconut oil, palm kernel oil, and lauric type fats and oils such as their hydrogenated oils and the like. The heat resistance of a foamed chocolate is improved by obtaining the foamed chocolate by adding an oil mixture containing a hard butter and tri-saturated fatty acid glycerides containing behenic acid to a chocolate texture and whipping the resulting mixture.

The tri-saturated fatty acid glycerides containing behenic acid of the present invention can generally be obtained by hydrogenating fats and oils containing erucinic acid as to have iodine value 1 or lower and the melting point at 60°C or higher. (Saturated behenic acid can be obtained by hydrogenating unsaturated erucinic acid). As fats and oils containing 30 % or higher of erucinic acid are rapeseed oil with a high erucinic acid concentration, mustard oil, crambe oil, uzenbaren oil, and the rapeseed oil with high erucinic acid concentration is preferable owing

to easiness to be obtained. Also, the tri-saturated fatty acid glycerides mean triglycerides containing constituent fatty acids all of which are saturated fatty acids.

It is preferred in the present invention to use the edible fats and oils together with the tri-saturated fatty acid glycerides containing behenic acid in the ratio of 85 : 15 to 95 : 5. If the tri-saturated fatty acid glycerides are more than the above described ratio, the fluidity of the oil mixture is deteriorated and not only handling of the mixture but also whipping property tend to be deteriorated at the time of mixing with a chocolate texture. On the other hand, if the tri-saturated fatty acid glycerides are less than the ratio, the whipping property is deteriorated at the time of mixing with a chocolate texture.

For adding the oil mixture containing edible fats and oils as well as tri-saturated fatty acid glycerides containing behenic acid to a blend of chocolate ingredients, it is preferable to add the tri-saturated fatty acid glycerides at their final concentration in the blend of chocolate ingredients of 0.5 to 2 %, more preferably 1 to 2 %. If the addition amount is higher than this range, the melting point of the fats and oils becomes too high and, although whipping can be performed at first, the viscosity sharply increased during the whipping step and some time

solidification takes place depending on the temperature at the time of whipping. Further, even if whipping can be performed, although being provided with high heat resistance, the resulting chocolate becomes considerably inferior in mouth melt property and its product value as confectionery is considerably lowered. In contrast with that, if the addition amount is lower than the above range, the specific gravity of the chocolate is not decreased.

The specific gravity of a foamed chocolate in the present invention is 0.5 to 0.9. If the specific gravity is higher than 0.9, the chocolate texture is same as those of conventional chocolates and light texture can not be obtained. In contrast with that, if the specific gravity is lower than 0.5, the chocolate texture is significantly lightened, however the fluidity of the chocolate is eliminated owing to the rather high quantity of foams incorporated and thus the workability after whipping is undesirably much deteriorated. Incidentally, the specific gravity is measured by filling a container with a foamed chocolate, measuring the weight of the content, and dividing the measured weight by the weight of the water with which the container is filled.

In the present invention, it is preferable to use fats and oils produced by completely melting an oil mixture containing edible fats and oils with tri-saturated fatty

acid glycerides containing behenic acid and then cooling the temperature of the oil mixture to 30 to 45°C to precipitate crystals and using the resulting oil mixture in cooled state. Owing to that, a fat and oil composition in which crystals of tri-saturated fatty acid glycerides containing behenic acid are dispersed in low melting point -fats and oils having lower melting points than those of the glycerides can be obtained and it is suitable to be used as an additive for foaming. Using an apparatus capable of kneading an oil mixture, e.g. an Onreitor<sup>TM</sup>, the oil mixture containing edible fats and oils with tri-saturated fatty acid glycerides containing behenic acid is cooled after it is completely melted to 30 to 45°C and kept cooled to produce the oil mixture. When using a method other than the above, for example, a method comprising steps of simply keeping the oil mixture at a room temperature and then gradually cooling the oil mixture, the size of the crystals becomes too large and therefore the oil mixture becomes unsuitable to incorporate foams into a chocolate. In contrast with that, if rapid cooling is carried out using a Combinator<sup>TM</sup>, the resulting oil mixture in this case also becomes unsuitable to incorporate foams into a chocolate supposedly attributed to the difference of the crystal systems.

In the present invention, an oil mixture containing

edible fats and oils with tri-saturated fatty acid  
glycerides containing behenic acid is required to be  
whipped at a temperature at which the crystals of the tri-  
saturated fatty acid glycerides containing behenic acid are  
5 not melted. Especially, it is required for the tri-  
saturated fatty acid glycerides containing behenic acid in  
crystallized state and owing to that, since the tri-  
saturated fatty acid glycerides containing behenic acid do  
not mutually affect, for example, cocoa butter or the like  
10 in the blend of chocolate ingredients, they do not  
deteriorate mouth melt property of a chocolate. However,  
when the oil mixture is used in completely melted state,  
not only the amount of crystals necessary to carry out  
whipping is insufficient to decrease the specific gravity  
15 of a chocolate but also the tri-saturated fatty acid  
glycerides containing behenic acid mutually affect the  
other fats and oils, for example, cocoa butter in a blend  
of chocolate ingredients to increase the melting points of  
the fats and oils and, resulting in the finally obtained  
20 chocolate with considerably inferior mouth melt property  
even though the heat resistance of the chocolate is  
increased. Hence, the product temperature of a blend of  
chocolate ingredients is required to be adjusted within a  
range from 25°C to 40°C and the temperature of the oil  
25 mixture containing edible fats and oils with tri-saturated

T06T60-4669E660

fatty acid glycerides containing behenic acid has to be adjusted the same and they are mixed and then whipped. Incidentally, in the case of using a tempering type blend of chocolate ingredients, it is possible to carry out mixing at a temperature, for example, 31°C, at which tempering of a chocolate subjected to tempering is not broken, and then to carry out whipping.

A chocolate of the present invention includes any chocolates; a sweet chocolate, a milk chocolate, a black chocolate, a white chocolate and the like, in terms of blending of ingredients and also includes those produced using other fats and oils in place of some or entire amount of cacao butter, especially using a cacao butter substitute (hard butter). Any conventionally known chocolates may be usable. The content of a raw material chocolate in a foamed chocolate is preferably 60 % or higher.

#### Examples

The present invention will be described more particularly along with examples of the present invention, however the true scope of the present invention is not at all restricted to these examples described below. Incidentally, the terms, "precents" and "parts" in the examples respectively are by weight.

#### Example 1

After an oil mixture of 90 parts of slightly

hydrogenated rapeseed oil (iodine value 95) with a low erucinic acid content and 10 parts of a fully hydrogenated oil (iodine value 1 or lower, melting point 62°C) of rapeseed oil with a high erucinic acid content, as the tri-saturated fatty acid glycerides containing behenic acid was completely melted at 80°C, the resulting oil mixture was cooled to 40°C of product temperature of the oils and fats in a water tank containing water at 15°C to precipitate crystals of the tri-saturated fatty acid glycerides containing behenic acid and the resulting oil mixture in such a state was kept at 20°C. Separately, 90 parts of a sweet chocolate (produced by Fuji Oil. Co., Ltd., trade name, "Sweet Chocolate", oil content 34 %) subjected to tempering at the minimum point 26°C and reheating point at 28°C was preserved at product temperature 30°C and mixed with 10 parts of the above described oil mixture and whipped by a Kenwood mixer (using a whipper) at a high stirring speed to obtain a foamed chocolate. The specific gravity of the obtained foamed chocolate was measured and found 0.75.

#### Example 2

Twenty parts of an oil mixture produced in the same manner as the Example 1 from 90 parts of rapeseed oil (iodine value 117) with a low erucinic acid content and 10 parts of a fully hydrogenated oil (iodine value 1 or lower,

melting point 62°C) of rapeseed oil with a high erucinic acid content, as the tri-saturated fatty acid glycerides containing behenic acid was added to 80 parts of a chocolate produced from a milk chocolate (produced by Fuji Oil. Co., Ltd., trade name, "Milk Chocolate", oil content 34 %), which was melted in a water bath at 50°C, cooled to 30°C, mixed with a seed agent (produced by Fuji Oil Co., Ltd., trade name, "Choco Seed A") in 0.2 % to the chocolate, and subjected to tempering, and then a foamed chocolate was obtained from the resulting mixture by the same treatment as that of the Example 1. The specific gravity of the obtained foamed chocolate was measured and found 0.66.

#### Example 3

A foamed chocolate was obtained by the same treatment as that of the Example 1 except that the mixing amounts of the slightly hydrogenated rapeseed oil (iodine value 95) with a low erucinic acid content and the fully hydrogenated oil (iodine value 1 or lower, melting point 62°C) of rapeseed oil with a high erucinic acid content, as the tri-saturated fatty acid glycerides containing behenic acid were changed to be 95 parts and 5 parts, respectively, and 20 parts of the resulting oil mixture was added to 80 parts of the chocolate subjected to tempering. The specific gravity of the obtained foamed chocolate was measured and found 0.84.



## Example 4

Twenty parts of an oil mixture produced in the same manner as the Example 1 from 90 parts of the slightly hydrogenated rapeseed oil (iodine value 95) with a low erucinic acid content and 10 parts of the fully hydrogenated oil (iodine value 1 or lower, melting point 62°C) of rapeseed oil with a high erucinic acid content, as the tri-saturated fatty acid glycerides containing behenic acid was added to 80 parts of a non-tempered chocolate (produced by Fuji Oil. Co., Ltd., trade name, "MSM", oil content 36 %) and whipped at product temperature 40°C by high speed stirring to obtain foamed chocolate. The specific gravity of the obtained foamed chocolate was measured and found 0.85.

The characteristics of the produced foamed chocolates are collectively shown in Table 1.

Table 1

Results of the Example 1 to the Example 4

No.	Item	Example 1	Example 2	Example 3	Example 4
1	Edible fats and oils	Slightly hydrogenated oil of rapeseed oil with low erucinic acid content	Rapeseed oil with a low erucinic acid content	Slightly hydrogenated oil of rapeseed oil with low erucinic acid content	Slightly hydrogenated oil of rapeseed oil with low erucinic acid content

2	Types of tri-saturated fatty acid glycerides or other high melting point fats and oils	fully hydrogenated oil of rapeseed oil with a high erucinic acid content	fully hydrogenated oil of rapeseed oil with a high erucinic acid content	fully hydrogenated oil of rapeseed oil with a high erucinic acid content	fully hydrogenated oil of rapeseed oil with a high erucinic acid content
3	Ratio of 1 to 2	90:10	90:10	95:5	90:10
4	Ratio of 3 to chocolate	10:90	20:80	20:80	20:80
5	oil content (%) of 4	40.6	47.2	47.2	48.8
6	specific gravity of 4	0.75	0.66	0.84	0.85
7	Content (%) of 2 in the total amount of chocolate	1	2	1	2
8	Temperature (°C) at the time of whipping	30	30	30	40
9	Workability	Good	Good	Good	Good
10	Taste feel	Good	Good	Good	Good

The chocolates of the Examples 1 to 4 were provided with the specific gravity values sufficiently decreased as compared with conventional chocolates and gave lightened textures. Regarding the workability, no trouble took place in their production work. In such a way, that foams were

made possible to be incorporated to the chocolates using a simple apparatus was supposedly attributed to that the crystal system and the size might become optimum to incorporate foams since the oil mixtures of edible fats and oils with tri-saturated fatty acid glycerides containing behenic acid were completely melted at first and then cooled down the product temperature to 30°C to 45°C to precipitate crystals of the tri-saturated fatty acid glycerides containing behenic acid and the resulting cooled fats and oils were used.

#### Example 5

After an oil mixture of 89 parts of hard butter (iodine value 34, melting point 34°C, produced by Fuji Oil Co., Ltd., trade name, "Melano New SS7") and 11 parts of a fully hydrogenated oil (iodine value 1 or lower, melting point 62°C) of rapeseed oil with a high erucinic acid content, as the tri-saturated fatty acid glycerides containing behenic acid was completely melted at 80°C, the oil mixture was cooled to 38°C of product temperature of the oils and fats in a water tank containing water at 15°C to precipitate crystals of the tri-saturated fatty acid glycerides containing behenic acid and the resulting oil mixture in such a state was kept at 20°C. Separately, to a milk chocolate (produced by Fuji Oil. Co., Ltd., trade name, "Milk Chocolate", oil content 34 %), the hard butter

(iodine value 34, melting point 34°C, produced by Fuji Oil Co., Ltd., trade name, "Melano New SS7") for oil component adjustment was added to adjust the oil components to be 41 %, and after cooling it to 35°C, adding a seed agent (produced by Fuji Oil Co., Ltd., trade name, "Choco Seed B") in 3.0 % in the chocolate, and tempering, 90 parts of the resulting chocolate was mixed with 10 parts of the above described oil mixture whose temperature was controlled at 37°C and whipped by a Kenwood mixer (using a whipper) at a high stirring speed to obtain a foamed chocolate. The specific gravity of the obtained foamed chocolate was measured and found 0.78.

#### Example 6

After an oil mixture of 89 parts of a hydrogenated oil (iodine value 71, melting point 35°C) of rapeseed oil with a low erucinic acid content and 11 parts of a fully hydrogenated oil (iodine value 1 or lower, melting point 62°C) of rapeseed oil with a high erucinic acid content, as the tri-saturated fatty acid glycerides containing behenic acid was completely melted at 80°C, the oil mixture was cooled to 40°C of product temperature of the fats and oils in a water tank containing water at 15°C to precipitate crystals of the tri-saturated fatty acid glycerides containing behenic acid and the resulting oil mixture in such a state was kept at 20°C. Separately, to a sweet

chocolate (produced by Fuji Oil. Co., Ltd., trade name, "Sweet Chocolate", oil components 34 %), the hard butter (iodine value 34, melting point 34°C, produced by Fuji Oil Co., Ltd., trade name, "Melano New SS7") for oil component  
5 adjustment was added to adjust the oil components to be 41 %, and after cooling it to 30°C, adding a seed agent (produced by Fuji Oil Co., Ltd., trade name, "Choco Seed A") in 0.2 % in the chocolate, and tempering, 90 parts of the resulting chocolate was mixed with 10 parts of the  
10 above described oil mixture whose temperature was controlled at 40°C and whipped by a Kenwood mixer (using a whipper) at a high stirring speed to obtain a foamed chocolate. The specific gravity of the obtained foamed chocolate was measured and found 0.80.

15 Example 7

After an oil mixture of 89 parts of a refined coconut oil (iodine value 8.5, melting point 24°C) and 11 parts of a fully hydrogenated oil (iodine value 1 or lower, melting point 62°C) of rapeseed oil with a high erucinic acid  
20 content, as the tri-saturated fatty acid glycerides containing behenic acid was completely melted at 80°C, the oil mixture was cooled to 32.5°C of product temperature of the fats and oils in a water tank containing water at 15°C to precipitate crystals of the tri-saturated fatty acid  
25 glycerides containing behenic acid and the resulting oil

mixture in such a state was kept at 20°C. Separately, to a  
 sweet chocolate (produced by Fuji Oil. Co., Ltd., trade  
 name, "Sweet Chocolate", oil components 34 %), the hard  
 butter (iodine value 34, melting point 34°C, produced by  
 5 Fuji Oil Co., Ltd., trade name, "Melano New SS7") for oil  
 component adjustment was added to adjust the oil components  
 to be 41 %, and after cooling it to 30°C, adding a seed  
 agent (produced by Fuji Oil Co., Ltd., trade name, "Choco  
 Seed A") in 0.2 % in the chocolate, and tempering, 90 parts  
 10 of the resulting sweet chocolate was mixed with 10 parts of  
 the above described oil mixture whose temperature was  
 controlled at 35°C and whipped by a Kenwood mixer (using a  
 whipper) at a high stirring speed to obtain a foamed  
 chocolate. The specific gravity of the obtained foamed  
 15 chocolate was measured and found 0.79.

The characteristics of the produced foamed chocolates  
 are collectively shown in Table 2.

Table 2

Results of the Example 5 to the Example 7

No.	Item	Example 5	Example 6	Example 7
1	Edible fats and oils	Hard butter	Hydrogenated oil with a low erucinic acid content	Refined coconut oil
2	Type of tri-saturated fatty acid glycerides or	fully hydrogenated oil of	fully hydrogenated oil of	fully hydrogenated oil of

	other high melting point fats and oils	rapeseed oil with a high erucinic acid content	rapeseed oil with a high erucinic acid content	rapeseed oil with a high erucinic acid content
3	Ratio of 1 to 2	89:11	89:11	89:11
4	Ratio of 3 to chocolate	10:90	10:90	10:90
5	Oil content (%) of 4	47.2	47.2	47.2
6	Specific gravity of 4	0.78	0.8	0.79
7	The content (%) of 2 in the total amount of chocolate	1.1	1.1	1.1
8	Temperature (°C) at the time of whipping	33	30	30
9	Workability	Good	Good	Good
10	Taste feel	Good	Good	Good

Regarding the chocolates of the Examples 5 to 7, the specific gravity values were sufficiently decreased as compared with those of conventional chocolates and their taste feel was lightened. Regarding the workability, no trouble took place in their production work. In such a way, that foams were made possible to be incorporated into the chocolates using a simple apparatus was supposedly attributed to that the crystal system and the size might become optimum to incorporate foams since the oil mixtures of edible vegetable fats and oils with tri-saturated fatty acid glycerides containing behenic acid were completely

melted at first and then cooled down the product temperature to 30°C to 45°C to precipitate crystals of the tri-saturated fatty acid glycerides containing behenic acid and the resulting cooled fats and oils were used.

5           The heat resistance of the produced foamed chocolates was evaluated.

#### Evaluation Example 1

After foamed chocolates produced in the Example 5 were aged at 20°C for 1 week, they were kept at respective  
10       preservation temperature values for 2 hours and then the load of each foamed chocolate was measured using a rheometer (using a plunger with the diameter of 10 mm).

#### Evaluation Comparative Example 1

Twenty parts of hard butter (iodine value 34, melting  
15       point 34°C, produced by Fuji Oil Co., Ltd., trade name, "Melano New SS7") mixed with an emulsifier (produced by Sakamoto Yakuhin Kogyo Co., Ltd., trade name, "SY-Glyster PS310") for whipping was additionally mixed with 80 parts of a milk chocolate (produced by Fuji Oil Co., Ltd., trade  
20       name, "Milk Chocolate", oil content 34 %). The addition amount of the emulsifier was controlled to be 0.5 % in the finally obtained chocolate. The resulting chocolate whose oil components were thus adjusted was cooled to 35°C and further mixed with a seed agent (produced by Fuji Oil Co.,  
25       Ltd., trade name, "Choco Seed B") in 3.0 % in the chocolate



and subjected to tempering. The obtained chocolate was whipped by a Kenwood mixer (using a whipper) at a high stirring speed to obtain a foamed chocolate. The specific gravity of the obtained foamed chocolate was measured and found 0.75. After the foamed chocolate was aged at 20°C for 1 week, the heat resistance of the chocolate was measured in the same manner as the Evaluation Example 1.

Evaluation Comparative Example 2

Ten parts of hard butter (iodine value 34, melting point 34°C, produced by Fuji Oil Co., Ltd., trade name, "Melano New SS7") mixed with an emulsifier (produced by Sakamoto Yakuhin Kogyo Co., Ltd., trade name, "SY-Glyster PS310") for whipping was additionally mixed with 80 parts of a milk chocolate (produced by Fuji Oil Co., Ltd., trade name, "Milk Chocolate", oil components 34 %). The addition amount of the emulsifier was controlled to be 0.5 % in the finally obtained chocolate. Further added was 10 parts of heat resistant fats and oils (iodine value 34.5, melting point 37°C, produced by Fuji Oil Co., Ltd., trade name, "Melano SS400"). The resulting chocolate whose oil components were thus adjusted was cooled to 35°C and further mixed with a seed agent (produced by Fuji Oil Co., Ltd., trade name, "Choco Seed B") in 3.0 % in the chocolate and subjected to tempering. The obtained chocolate was whipped by a Kenwood mixer (using a whipper) at a high

stirring speed to obtain a foamed chocolate. The specific gravity of the obtained foamed chocolate was measured and found 0.74. After the foamed chocolate was aged at 20°C for 1 week, the heat resistance of the chocolate was measured in the same manner as the Evaluation Example 1.

The evaluation of the heat resistance of the produced foamed chocolates was collectively shown in Table 3.

Table 3

Evaluation of the heat resistance

Preservation temperature	Evaluation Example 1	Evaluation Comparative Example 1	Evaluation Comparative Example 2
31°C	120g	30g	100g
32°C	20g	3g	30g
33°C	2g	0g	0g
Feeling evaluation			
Melting-in-palate	Good	Good	Stiff

As shown in Table 3, the heat resistance of the Evaluation Example 1 was improved as compared with that of the Evaluation Comparative Example 1. Further, the Evaluation Example 1 showed the same heat resistance as that of the Evaluation Comparative Example 2 using conventional heat resistance fats. The mouth melt property of the Evaluation Example 1 was same as that of the Comparative Evaluation Example 1 and since the Comparative

Evaluation Example 2 used conventional heat resistant fats, inferiority in mouth melt could not be avoided.

Consequently, it was found that using the fats and oils of the present invention gave a foamed chocolate having

5 excellent melting-in-palate property and high heat resistance.

#### Comparative Example 1

10 Ten parts of an oil mixture produced by mixing 90 parts of a slightly hydrogenated oil (iodine value 95) of rapeseed oil with a low erucinic acid content and 10 parts of a fully hydrogenated oil (iodine value 1 or lower, melting point 58.5°C) of palm oil in the same manner as the Example 1 was added to 90 parts of a chocolate separately tempered in the same manner as the Example 1 and the

15 resulting chocolate mixture was treated in the same manner as the Example 1. The specific gravity of the obtained chocolate was measured and found to be 1.10.

#### Comparative Example 2

20 Ten parts of an oil mixture produced by mixing 90 parts of a slightly hydrogenated oil (iodine value 95) of rapeseed oil with a low erucinic acid content and 10 parts of a fully hydrogenated oil (iodine value 1 or lower, melting point 65°C) of soybean oil in the same manner as the Example 1 was added to 90 parts of a chocolate

25 separately tempered in the same manner as the Example 1 and

the resulting chocolate mixture was treated in the same manner as the Example 1. The specific gravity of the obtained chocolate was measured and found to be 1.10. Comparative Example 3.

5           Ten parts of an oil mixture produced by mixing 90 parts of a slightly hydrogenated oil (iodine value 95) of rapeseed oil with a low erucinic acid content and 10 parts of a fully hydrogenated oil (iodine value 1 or lower, melting point 62°C) of rice bran oil in the same manner as the Example 1 was added to 90 parts of a chocolate separately tempered in the same manner as the Example 1 and the resulting chocolate mixture was treated in the same manner as the Example 1. The specific gravity of the obtained chocolate was measured and found to be 0.98.

15           The characteristics of the produced foamed chocolates are collectively shown in Table 4.

Table 4

Results of the Comparative Examples 1 to 3

No.	Item	Comparativ e   Example 1	Comparativ e   Example 2	Comparative Example 3
1	Edible       fats       and oils	Slightly hydrogenat ed oil of rapeseed oil with a low erucinic acid content	Slightly hydrogenat ed oil of rapeseed oil with a low erucinic acid content	Slightly hydrogenated oil       of rapeseed oil with a low erucinic acid content

2	Types of tri-saturated fatty acid glycerides or other high melting point fats and oils	fully hydrogenated oil of palm oil	fully hydrogenated oil of soybean oil	fully hydrogenated oil of rice bran oil
3	Ratio of 1 to 2	90:10	90:10	90:10
4	Ratio of 3 to chocolate	10:90	10:90	10:90
5	Oil content (%) of 4	40.6	40.6	40.6
6	Specific gravity of 4	1.10	1.10	0.98
7	Content (%) of 2 in the total amount of chocolate	1	1	1
8	Temperature (°C) at the time of whipping	29	29	29
9	Workability	Good	Good	Good
10	Taste feel	Heavy feel	Heavy feel	Heavy feel

Since the types of tri-saturated fatty acid glycerides to be used in the Comparative Examples 1 to 3 were changed to use tri-saturated fatty acid glycerides containing no behenic acid as the constituent fatty acids, the specific gravity values of the chocolates were not decreased.

#### Comparative Example 4

A mixture of 4 parts of the oil mixture produced in the Example 1 and 96 parts of the tempered chocolate was whipped and the specific gravity of the resulting foamed chocolate was measured to find to be 0.93.

#### Comparative Example 5

Five parts of an oil mixture produced by mixing 95

parts of a slightly hydrogenated oil (iodine value 95) of rapeseed oil with a low erucinic acid content and 5 parts of a fully hydrogenated oil (iodine value 1 or lower, melting point 62°C) of rapeseed oil with a high erucinic acid content as the tri-saturated fatty acid glycerides containing behenic acid in the same manner as the Example 1 was added to 95 parts of a chocolate separately tempered in the same manner as the Example 1 and the resulting chocolate mixture was treated in the same manner as the Example 1. The specific gravity of the obtained chocolate was measured and found to be 0.97.

#### Comparative Example 6

Twenty parts of an oil mixture produced by mixing 80 parts of a slightly hydrogenated oil (iodine value 95) of rapeseed oil with a low erucinic acid content and 20 parts of a fully hydrogenated oil (iodine value 1 or lower, melting point 62°C) of rapeseed oil with a high erucinic acid content as the tri-saturated fatty acid glycerides containing behenic acid in the same manner as the Example 1 was added to 80 parts of a chocolate separately tempered in the same manner as the Example 1 and the resulting chocolate mixture was treated in the same manner as the Example 1. However the viscosity was extremely increased during the whipping and the chocolate mixture was hydrogenated. The specific gravity of the hydrogenated

chocolate was measured and found decreased to 0.69, however the workability was inferior.

The characteristics of the produced foamed chocolates are collectively shown in Table 5.

# 5 Table 5

Results of the Comparative Example 4 to the Comparative Example 6

No.	Item	Comparative Example 4	Comparative Example 4	Comparative Example 4
1	Edible fats and oils	Slightly hydrogenated oil of rapeseed oil with a low erucinic acid content	Slightly hydrogenated oil of rapeseed oil with a low erucinic acid content	Slightly hydrogenated oil of rapeseed oil with a low erucinic acid content
2	Types of tri-saturated fatty acid glycerides or other high melting point fats and oils	fully hydrogenated oil of rapeseed oil with a high erucinic acid content	fully hydrogenated oil of rapeseed oil with a high erucinic acid content	fully hydrogenated oil of rapeseed oil with a high erucinic acid content
3	Ratio of 1 to 2	90:10	95:5	80:20
4	Ratio of 3 to chocolate	4:96	5:95	20:80
5	Oil content (%) of 4	36.6	37.3	47.2
6	Specific gravity of 4	0.93	0.97	0.69
7	Content (%) of 2 in the total amount of chocolate	0.40 %	0.25 %	4.00 %

8	Temperature (°C) at the time of whipping	30	30	30
9	Workability	Good	Good	Inferior
10	Taste feel	Heavy feel	Heavy feel	Good

Since the contents of the tri-saturated fatty acid glycerides containing behenic acid in the chocolates of the Comparative Example 4 and the Comparative Example 5 were too little, the resulting chocolates were provided with insufficiently decreased specific gravity values and gave taste feel not so much different from that of a conventional chocolate. In contrast with that, since the content of the tri-saturated fatty acid glycerides in the chocolate of the Comparative Example 6 was too much, the specific gravity value of the chocolate was sufficiently decreased. However the chocolate was hydrogenated in the middle of the production work.

#### Comparative Example 7

Ninety parts of a slightly hydrogenated oil (iodine value 95) of rapeseed oil with a low erucinic acid content and 10 parts of a fully hydrogenated oil (iodine value 1 or lower, melting point 62°C) of rapeseed oil with a high erucinic acid content as the tri-saturated fatty acid glycerides containing behenic acid were completely melted.

Ninety parts of a separately melted chocolate was added to 10 parts of the previously prepared oil mixture in melted



state, cooled and tempered in the same manner as the Example 1. The tempered chocolate was whipped in the same manner as the Example 1 and the specific gravity of the obtained chocolate was measured and found to be 1.10.

5 Comparative Example 8

After an oil mixture of 90 parts of a slightly hydrogenated oil (iodine value 95) of rapeseed oil with a low erucinic acid content and 10 parts of a fully hydrogenated oil (iodine value 1 or lower, melting point 10 62°C) of rapeseed oil with a high erucinic acid content as the tri-saturated fatty acid glycerides containing behenic acid was once completely melted at 80°C, the oil mixture was left in a room and with the room temperature of 20°C spontaneously cooled and solidified for a whole day and 15 night. Ninety parts of a sweet chocolate (Fuji Oil Co., Ltd., oil content 34 %) separately tempered at the minimum point of 26°C and reheating point of 28°C was mixed with 10 parts of the previously prepared oil mixture and whipped in the same manner as the Example 1 and the specific gravity 20 of the obtained chocolate was measured and found to be 0.97.

Comparative Example 9

After an oil mixture of 90 parts of a slightly hydrogenated oil (iodine value 95) of rapeseed oil with a low erucinic acid content and 10 parts of a fully 25 hydrogenated oil (iodine value 1 or lower, melting point

62°C) of rapeseed oil with a high erucinic acid content as the tri-saturated fatty acid glycerides containing behenic acid was once completely melted at 80°C, the oil mixture was quickly cooled to product temperature of 10°C and mixed using a Combinator. Ten parts of the oil mixture was added to 90 parts of a chocolate tempered in the same manner as the Example 1 and further whipped in the same manner as the Example 1 and the specific gravity of the obtained chocolate was measured and found to be 1.04.

The characteristics of the produced foamed chocolates are collectively shown in Table 6.

Table 6

Results of the Comparative Example 7 to the Comparative Example 9

No.	Item	Comparative Example 7	Comparative Example 8	Comparative Example 9
1	Edible fats and oils	Slightly hydrogenated oil of rapeseed oil with low erucinic acid content	Slightly hydrogenated oil of rapeseed oil with low erucinic acid content	Slightly hydrogenated oil of rapeseed oil with low erucinic acid content
2	Types of tri-saturated fatty acid glycerides or other high melting point fats and oils	Fully hydrogenated oil of rapeseed oil with high erucinic acid	Fully hydrogenated oil of rapeseed oil with high erucinic acid	Fully hydrogenated oil of rapeseed oil with high erucinic acid

T06T60"4669E660

3	Ratio of 1 to 2	90:10	90:10	90:10
4	Ratio of 3 to chocolate	10:90	10:90	20:80
5	Oil content (%) of 4	40.6	40.6	40.6
6	Specific gravity of 4	1.10	0.97	1.04
7	Content (%) of 2 in the total amount of chocolate	1	1	1
8	Temperature (°C) at the time of whipping	30	30	30
9	Workability	Good	Good	Good
10	Taste feel	Heavy feel	Heavy feel	Heavy feel

In the case of the Comparative Example 7, since after being melted, the fats and oils of the mixture of fats and oils in liquid state at 20°C and the tri-saturated fatty acid glycerides containing behenic acid were added to the chocolate, the specific gravity of the obtained chocolate was not decreased. In the case of the Comparative Example 8 and the Comparative Example 9, since the preparation methods for the oil mixtures of the slightly hydrogenated oils of rapeseed oil with a low erucinic acid content and the fully hydrogenated oils of rapeseed oil with a high erucinic acid content as tri-saturated fatty acid glycerides containing behenic acid were different from those of the examples, the specific gravity values of the obtained chocolates were not decreased. In the case of

Comparative Example 8, it was assumedly attributed to that although the crystal system of the oil mixture was supposed to be same as that of the Example 1, the crystal size became large as compared with that of the oil mixture of the Example 1 owing to the extremely slow cooling. In contrast with that, in the case of the Comparative Example 9, it was assumedly attributed to that the crystal system became different from that of the Example 1 owing to the rapid cooling of the oil mixture and the crystal size was also supposed to be extremely fine, and as implied by the above description, it is supposed to be impossible to easily add foams to a chocolate unless the crystal system and the crystal size were adjusted to be proper.

#### Comparative Example 10

Rapeseed oil with a high erucinic acid content and containing 45 % of unsaturated fatty acids of 22 carbon atoms was fully hydrogenated and the fully hydrogenated oil was hydrolyzed and esterified to obtain ethyl fatty acid esters. The ethyl fatty acid esters were fractionated to obtain fraction containing 97.9 % of saturated fatty acid esters with 20 to 24 carbon atoms, and 70 parts of such fatty acid esters were mixed with 30 parts of sunflower oil with a high oleic acid content and subjected to interesterification using enzymes selectively active on 1- and 3- locants to obtain a reacted oil with iodine value of

45 which was further fractionated with a solvent to obtain a high melting point fraction at 57.6 % yield. The composition of the bonded fatty acids in the fraction was as follows. The composition had iodine value of 31.6 and contained 76 % of 2-unsaturated-1,3-disaturated glyceride and 71.2 of 2-unsaturated-1,3-disaturated glyceride composed of unsaturated fatty acids of 18 or more carbon atoms and saturated fatty acids of 20 to 24 carbon atoms. The fatty acid composition was as follows (the upper stage shows chain length : the number of double bonds; and the lower stage shows %)

16:0	18:0	18:1	18:2	20:0	22:0	24:0
0.7	1.7	31.6	2.5	4.8	56.7	2.0

Ten parts of the obtained fats and oils were mixed with 90 parts of a slightly hydrogenated oil (iodine value 95) of rapeseed oil with a low erucinic acid content and a foamed chocolate was then produced in the same manner as the Example 1 and the specific gravity of the produced chocolate was measured and found to be 1.16.

The characteristics of the produced foamed chocolate are collectively shown in Table 7.

Table 7

Results of the Comparative Example 10

No.	Item	Comparative Example 10
-----	------	------------------------

1	Edible fats and oils	Slightly hydrogenated oil of rapeseed oil with low erucinic acid content
2	Types of tri-saturated fatty acid glycerides or other high melting point fats and oils	Interesterified oil
3	Ratio of 1 to 2	90:10
4	Ratio of 3 to chocolate	10:90
5	Oil content (%) of 4	40.6
6	Specific gravity of 4	1.16
7	Content (%) of 2 in the total amount of chocolate	1
8	Temperature (°C) at the time of whipping	29
9	Workability	Good
10	Taste feel	Heavy feel

In the case of the Comparative Example 10, although tri-glycerides containing behenic acid were employed in the constituent fatty acids, the composition of the main triglycerides was not of tri-saturated fatty acid tri-glycerides, so that the specific gravity of the obtained chocolate was not decreased.

#### Industrial Applicability

As described above, a foamed chocolate of the present invention can be produced by adding foams to a chocolate without requiring any emulsifiers or special apparatuses

and can be provided with lightened taste feel. Further, a foamed chocolate of the present invention has a high heat resistance.

093694-091901  
T06T60-4659E660

What is claimed is:

1. A foamed chocolate comprising formulating an oil mixture comprising edible fats and oils with tri-saturated fatty acid glycerides containing behenic acid.

2. The foamed chocolate according to claim 1, wherein the behenic acid content in the tri-saturated fatty acid glycerides containing the behenic acid is 30 % or higher.

3. The foamed chocolate according to claim 1 or 2, wherein the tri-saturated fatty acid glycerides containing behenic acid are a fully hydrogenated oil of rapeseed oil with a high erucinic acid content.

4. The foamed chocolate according to any one of claims 1 to 3, wherein a mixing ratio of the edible fats and oils to the tri-saturated fatty acid glycerides containing behenic acid in the oil mixture used is 85 : 15 to 95 : 5.

5. The foamed chocolate according to any one of claims 1 to 4, wherein the content of the tri-saturated fatty acid glycerides containing behenic acid is 0.5 to 2 % by weight based on the total amount of the foamed chocolate.

6. The foamed chocolate according to any one of claims 1 to 5, wherein the specific gravity is 0.5 to 0.9.

7. A process for producing a foamed chocolate which comprises steps of melting crystals of an oil mixture of

0066994-091904  
FOOTNOTES



edible fats and oils with tri-saturated fatty acid  
glycerides containing behenic acid by warming, then  
crystallizing the tri-saturated fatty acid glycerides  
containing behenic acid by cooling the oil mixture, adding  
5 the oil mixture in such a state to a blend of chocolate  
ingredients and whipping the resultant blend.

8. The process according to claim 7, wherein fats and  
oils containing 30 % or more of behenic acid in their  
saturated fatty acids are used as the tri-saturated fatty  
10 acid glycerides containing behenic acid.

9. The process according to claim 7 or 8, wherein a  
fully hydrogenated oil of rapeseed oil with a high erucinic  
acid content is used as the tri-saturated fatty acid  
glycerides containing behenic acid.

15 10. The process according to any one of claims 7 to 9,  
wherein the oil mixture is added and used so that the  
content of the tri-saturated fatty acid glycerides  
containing behenic acid becomes 0.5 to 2 % by weight based  
on the total amount of the foamed chocolate.

20 11. The process according to any one of claims 7 to  
10, wherein the resultant blend is whipped until the  
specific gravity of chocolate becomes 0.5 to 0.9.

12. The process according to any one of claims 7 to  
11, wherein the resultant blend is whipped after the  
25 product temperature of the resultant blend is adjusted to

25°C to 40°C.

13. A fat and oil composition comprising crystals of tri-saturated fatty acid glycerides containing behenic acid dispersed in low melting point-fats and oils having a melting point lower than that of the glycerides.

14. The fat and oil composition according to claim 13, wherein the low melting point-fats and oils are liquid at 20°C.

15. The fat and oil composition according to claim 13, wherein the low melting point-fats and oils are hard butter.

16. An additive for a foamed chocolate comprising crystals of tri-saturated fatty acid glycerides containing behenic acid dispersed in low melting point-fats and oils having a melting point lower than that of the glycerides.

17. The additive for a formed chocolate according to claim 16, wherein the low melting point-fats and oils are liquid at 20°C.

18. The additive for a formed chocolate according to claim 16, wherein the low melting point-fats and oils are hard butter.

## DECLARATION AND POWER OF ATTORNEY FOR U. S. PATENT APPLICATION

(X) Original ( ) Supplemental ( ) Substitute ( ) PCT ( ) Design

As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that I verily believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Title: FORMED CHOCOLATE AND PROCESS FOR PRODUCING THE SAME

of which is described and claimed in:

- ( ) the attached specification, or  
 ( ) the specification in the application Serial No. \_\_\_\_\_ filed \_\_\_\_\_;  
 and with amendments through \_\_\_\_\_ (if applicable), or  
 (X) the specification in International Application No. PCT/ JP00/02050 filed March 30, 2000 and as amended  
 on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment(s) referred to above.

I acknowledge my duty to disclose to the Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim priority benefits under Title 35, United States Code, §119 (and §172 if this application is for a Design) of any application(s) for patent or inventor's certificate listed below and have also identified below any application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

COUNTRY	APPLICATION NO.	DATE OF FILING	PRIORITY CLAIMED
Japan	89060/1999	March 30, 1999	Yes


I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose information material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

APPLICATION SERIAL NO.	U.S. FILING DATE	STATUS: PATENTED, PENDING, ABANDONED

And I hereby appoint Michael R. Davis, Reg. No. 25,134; Matthew M. Jacob, Reg. No. 25,154; Warren M. Cheek, Jr., Reg. No. 33,367; Nils Pedersen, Reg. No. 33,145; Charles R. Watts, Reg. No. 33,142; and Michael S. Huppert, Reg. No. 40,268, who together constitute the firm of WENDEROTH, LIND & PONACK, L.L.P., as well as any other attorneys and agents associated with Customer No. 000513, to prosecute this application and to transact all business in the U.S. Patent and Trademark Office connected therewith.

I hereby authorize the U.S. attorneys and agents named herein to accept and follow instructions from Aoyama & Partners as to any action to be taken in the U.S.

Patent and Trademark Office regarding this application without direct communication between the U.S. attorneys and myself. In the event of a change in the persons from whom instructions may be taken, the U.S. attorneys named herein will be so notified by me.

Direct Correspondence to Customer No:   <b>000513</b>  PATENT TRADEMARK OFFICE	Direct Telephone Calls to:  <u>WENDEROTH, LIND &amp; PONACK, L.L.P.</u> <u>2033 "K" Street, N.W., Suite 800</u> <u>Washington, D.C. 20006</u>  Phone: (202) 721-8200 Fax: (202) 721-8250
--	---

Full Name of First Inventor	1-0P FAMILY NAME <u>MATSUI</u>	FIRST GIVEN NAME <u>Masayuki</u>	SECOND GIVEN NAME
Residence & Citizenship	CITY <u>Tsukuba-gun</u>	STATE OR COUNTRY <u>Ibaraki</u>	COUNTRY OF CITIZENSHIP <u>Japan</u> <u>JPX</u>
Post Office Address	ADDRESS <u>C/O Fuji Oil Company, Limited, Tsukuba R&amp;D Center,</u> <u>4-3, Kinunodai Yawara, Tsukuba-gun, Ibaraki, Japan</u>		
Full Name of Second Inventor	2-0P FAMILY NAME <u>OKOCHI</u>	FIRST GIVEN NAME <u>Masako</u>	SECOND GIVEN NAME
Residence & Citizenship	CITY <u>Tsukuba-gun</u>	STATE OR COUNTRY <u>Ibaraki</u>	COUNTRY OF CITIZENSHIP <u>Japan</u> <u>JPX</u>
Post Office Address	ADDRESS <u>C/O Fuji Oil Company, Limited, Tsukuba R&amp;D Center,</u> <u>4-3, Kinunodai Yawara, Tsukuba-gun, Ibaraki, Japan</u>		
Full Name of Third Inventor	3-0P FAMILY NAME <u>KIDA</u>	FIRST GIVEN NAME <u>Haruyasu</u>	SECOND GIVEN NAME
Residence & Citizenship	CITY <u>Tsukuba-gun</u>	STATE OR COUNTRY <u>Ibaraki</u>	COUNTRY OF CITIZENSHIP <u>Japan</u> <u>JPX</u>
Post Office Address	ADDRESS <u>C/O Fuji Oil Company, Limited, Tsukuba R&amp;D Center,</u> <u>4-3, Kinunodai Yawara, Tsukuba-gun, Ibaraki, Japan</u>		
Full Name of Fourth Inventor	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
Residence & Citizenship	CITY	STATE OR COUNTRY	COUNTRY OF CITIZENSHIP
Post Office Address	ADDRESS	CITY	STATE OR COUNTRY ZIP CODE

Full Name of Fifth Inventor	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
Residence & Citizenship	CITY	STATE OR COUNTRY	COUNTRY OF CITIZENSHIP
Post Office Address	ADDRESS	CITY	STATE OR COUNTRY ZIP CODE

Full Name of Sixth Inventor	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
Residence & Citizenship	CITY	STATE OR COUNTRY	COUNTRY OF CITIZENSHIP
Post Office Address	ADDRESS	CITY	STATE OR COUNTRY ZIP CODE

Full Name of Seventh Inventor	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
Residence & Citizenship	CITY	STATE OR COUNTRY	COUNTRY OF CITIZENSHIP
Post Office Address	ADDRESS	CITY	STATE OR COUNTRY ZIP CODE

I further declare that all statements made herein of my own knowledge are true, and that all statements on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

1st Inventor Masayuki Matsui Date September 6, 2001  
 2nd Inventor Masako Okochi Date September 6, 2001  
 3rd Inventor Harayasu Kida Date September 6, 2001  
 4th Inventor \_\_\_\_\_ Date \_\_\_\_\_  
 5th Inventor \_\_\_\_\_ Date \_\_\_\_\_  
 6th Inventor \_\_\_\_\_ Date \_\_\_\_\_  
 7th Inventor \_\_\_\_\_ Date \_\_\_\_\_

The above application may be more particularly identified as follows:

U.S. Application Serial No. \_\_\_\_\_ Filing Date \_\_\_\_\_  
 Applicant Reference Number \_\_\_\_\_ Atty Docket No. \_\_\_\_\_  
 Title of Invention \_\_\_\_\_  
 \_\_\_\_\_